



THE BUNKER

Reinforcing

**A PRODUCT GUIDE FOR
REINFORCING MATERIALS**

Mesh & Bar

Reinforcing Mesh

Black Steel

Square mesh is used to reinforce concrete slabs in pavements, floors, precast panels, warehouse slabs, tilt-up slabs, driveways, and patios.

6000 x 2400 mm
SL 72 | SL82 | SL92



Reo Bar

Black Steel

The deformed reinforcing rod is commonly used for reinforcing concrete footings. It can be cut and bent to suit the specific requirements of the project.

N12 - 6000 x 12 mm
N16 - 6000 x 16 mm



Trench Mesh

Black Steel

Trench mesh, also known as reo mesh, is used to strengthen concrete footings in residential and commercial buildings.

3 Bar - 6000 x 200 mm SL11 | SL12
4 Bar - 6000 x 300 mm SL11 | SL12



Bar Chairs

Plastic

Combination bar chairs offer two height settings. They are designed to be installed while the mesh is on the ground, and then lifted into position.

25/40 | 50/65 | 75/90 | 85/100
Trench mesh chairs available on request



Please note: that the mesh and bar range may vary between stores, so we recommend contacting your nearest location to check stock availability.

Plywood

Form Plywood

F17 Structural rated

Form plywood features a hardwood core with an F17 rating and is finished off-form, making it suitable for Class 2 and Class 3 applications.

- 1800 x 1200 x 17 mm
- 2400 x 1200 x 17 mm, 25 mm




Film Plywood

Non-structural

Film ply is very similar to form ply. It is made with a combination core of hardwood and pine and is coated with a hard, durable resin-impregnated paper overlay. Film plywood is used when certified plywood is not required.

2400 x 1200 x 9mm, 12mm, 17mm



Pine Plywood (Merch grade)

Non-structural

Non-structural plywood is untreated and designed for building applications that do not require specific structural properties, making it ideal for formwork in paths and driveways.

2400 x 1200 x 7 mm, 9 mm, 12 mm, 15 mm, 17 mm



CD Hoop Pine

F14 Structural rated

Sourced from plantation-grown Hoop Pine and compliant with AS/NZS 2269 manufacturing standards, this product is bonded with 'A-Bond' phenolic adhesive for superior durability.

2400 x 1200 x 7 mm, 9 mm, 12 mm, 15 mm, 17 mm, 19 mm, 25 mm



Please note: that plywood range may vary between stores, so we recommend contacting your nearest location to check stock availability.

Timber

Formwork LVL

AS/NZS 4357 – Structural LVL standards


- 100 x 36 x 6.0 m
- 150 x 36 x 6.0 m
- 200 x 36 x 6.0 m
- 300 x 36 x 6.0 m
- 95 x 45 x 6.0 m
- 95 x 63 x 6.0 m
- 150 x 63 x 6.0 m



Framing Timber (QLD & NSW)

H2 MGP 10

- 70 x 35 x 2400 mm
- 70 x 35 x 6000 mm
- 90 x 35 x 3600 mm
- 90 x 35 x 6000 mm
- 90 x 45 x 6000 mm



Framing Timber (TAS ONLY)

Raw MGP 10

- 90 x 35 x 2400 mm
- 90 x 35 x 2700 mm
- 90 x 35 x 3600 mm
- 90 x 35 x 6000 mm
- 90 x 45 x 6000 mm



Hex Head - Type 17

14 - 10 x 65mm

- Galvanised
- Class 4
- Qty 500
- Timber screw
- Complies with AS/3556



Please note: that timber product sizes and lengths may vary between stores, so we recommend contacting your nearest location to check stock availability.

Accessories

POLYTHENE Builders Plastic

Black Plastic

- 4mt X 200um X 50mt



Steel Pickets

Black Tar Impregnated


- 300 mm
- 450 mm
- 600 mm
- 900 mm
- 1200 mm
- 1650 mm
- 1800 mm
- 2400 mm



Round Post Caps / Reo Caps

Yellow Caps

- Suitable for pickets & reo bar



Sticky back Adhesive Foam joint

Ableflex

- 75mm X 10mm X 25mt
- 100mm X 10mm X 25mt
- 150mm X 10mm X 25mt
- 200mm X 10mm X 25mt



Please note: that product sizes and lengths may vary between stores, so we recommend contacting your nearest location to check stock availability.

Fixings

Cast-in plate

Hot dip galvanized

- 150 x 150 x 10 with legs
- 200 x 200 x 10 with legs



Duct Tape

Silver

- 48mm x 30m



Tie Wire Roll

Black

- 1.57mm x 93m



Black Loop Ties

Bundles 2000

- 110mm
- 125mm



Bogar Spacers

Packs of 50

- 200 x 11mm
- 200 x 12mm
- 250 x 11mm (100 per pack)
- 250 x 12mm (100 per pack)
- 300 x 11mm
- 300 x 12mm
- 350 x 11mm
- 350 x 12mm
- 400 x 11mm
- 400 x 12mm



Line Marking Paint

350g

- Yellow
- White
- Blue
- Pink
- Orange
- Red
- Green



Please note: that product sizes and lengths may vary between stores, so we recommend contacting your nearest location to check stock availability.

THE BUNKER

THE UPTON GROUP

PLYWOOD • TIMBER • STEEL

WHERE TO BUY.

QUEENSLAND

Brisbane: 07) 3093 5500 | 20 Chrome Court, Burpengary

Beerwah: 07) 5439 0076 | 16 Moroney Place, Beerwah

Doonan: 07) 5470 1800 | 667 Noosa Eumundi Road, Doonan

NEW SOUTH WALES

Albury: 02) 6025 4466 | 521 Wagga Road, Lavington

TASMANIA

Cambridge: 03) 6248 5777 | 10 Kennedy Drive, Cambridge